



BTS ALUMINIUM

The standards stay the same,
but innovation never ends...



ALUMINIUM GARDEN FENCE

Aluminium Clôture de Jardin

V1.0



F40 Technical Page 16-17 Page 02-03



F40 Classic Technical Page 18-19 Page 04-05



F60 Technical Page 20-21 Page 06-07



F60 LOUVER Technical Page 22-23 Page 08-09



F60V Technical Page 24-25 Page 10-11



F76 Technical Page 26-27 Page 12-13



F100 Technical Page 28-29 Page 14-15



Our company which is established in 1988, continue to produce aluminium systems and serve around the world. Our head offices and factory is located at the address of BOSB Mermerciler Sanayi Sitesi Beylikduzu Istanbul/Turkey. Our company, who leaded the producing of railing systems in Turkey and exported its products to international markets, is still continue to develop itself, finding new solutions with new products and increasing its reliability.

Our product range is:

- Frameless Glass Railing Systems.
- Aluminium Railing Systems.
- Height Adjustable Windbreaker Systems.
- Glass Canopy.
- Aluminium Garden Fence Systems.
- Aluminium Veranda Systems.

Our company which has as principles the full customer's satisfaction, best service and high quality in products is exporting the %85 of its production. We are giving enormous importance to develop continuously new products in order to give the best service in this field.

Our company as BTS Aluminium is honored by the quality certificate of ISO 9001-2008. As we are being BTS Aluminium, we are communicating with our esteemed partners through our professional crew and systems with finding fast solutions, responding to demands and supporting until the time of delivering products. The product demands which we are receiving from you, we are manufacturing very sensitively in our latest technological machines and making them ready for delivery. We are providing to deliver our goods without any problem with the latest developed packaging systems. We are dispatching our goods to every destination in the domestic market and international markets very easily with the ways of road transport, sea transport, railway transport and air transport.



Notre entreprise qui est établie on 1988, continue de produire des systèmes en aluminium et sert dans le monde entier. Notre siège social et notre usine sont situés à l'adresse de BOSB Mermerciler Sanayi Sitesi Beylikduzu Istanbul / Turquie. Notre société, qui a dirigé la production de systèmes de garde-corps en Turquie et exporté ses produits vers les marchés internationaux, continue de se développer, trouvant de nouvelles solutions avec de nouveaux produits et augmentant sa fiabilité.

Notre gamme de produits est:

- Systèmes de garde-corps en verre sans cadre.
- Systèmes de garde-corps en aluminium.
- Systèmes coupe-vent réglables en hauteur.
- Auvent en verre.
- Systèmes de clôture de jardin en aluminium.
- Systèmes de véranda en aluminium.

Notre société qui a comme principes la satisfaction totale du client, le meilleur service et la haute qualité des produits exporte les 85% de sa production. Nous accordons une importance considérable au développement continu de nouveaux produits afin de fournir le meilleur service dans ce domaine.

Notre société en tant que BTS Aluminium est honorée par le certificat de qualité ISO 9001-2008. En tant que BTS Aluminium, nous communiquons avec nos estimés partenaires via notre équipe et nos systèmes professionnels pour trouver des solutions rapides, répondre aux demandes et soutenir jusqu'au moment de la livraison des produits.

Les demandes de produits que nous recevons de votre part, nous fabriquons de manière très sensible dans nos dernières machines technologiques et les préparons pour la livraison. Nous fournissons pour livrer nos marchandises sans aucun problème avec les derniers systèmes d'emballage développés.

Nous expédions nos marchandises vers toutes les destinations du marché intérieur et des marchés internationaux très facilement avec les moyens de transport routier, maritime, ferroviaire et aérien.





ALUMINIUM GARDEN FENCE

F40



F40 BTS Aluminium Garden Fence is the quick and easy way to define your boundary and keep out unwanted pets and visitors. Aluminium is strong and durable yet light and easy to transport and install. Perfect for use around pool areas and in the garden, aluminium is long lasting and rust free.

BTS Fence systems are simple to install.

Aluminium Fence arrives in 6 meters length panel profiles which can be cut in desired lengths. The posts can be installed on ground and parapet walls with a base which is compatible to fix on concrete, ceramic or steel structure.

- 40x40 mm Aluminium post (BTS Railing Square Post)
- Screws are not visible
- Standard RAL colors are available
- Simple, clean and stylish lines
- Strong, light and rust free
- Easy do-it-yourself assembly

Standard RAL Colors

- Black (RAL 9005)
- Anthracite Grey (RAL 7016)
- White (RAL 9016)
- Cream White (RAL 9001)
- Signal Grey (RAL 7004)

Couleurs RAL standard

- Noir (RAL 9005)
- Gris anthracite (RAL 7016)
- Blanc (RAL 9016)
- Blanc crème (RAL 9001)
- Gris de sécurité (RAL 7004)



La clôture de jardin en Aluminium F40 BTS est le moyen rapide et facile de définir votre limite et d'empêcher les animaux et les visiteurs indésirables d'entrer. L'aluminium est solide et durable mais léger et facile à transporter et à installer.

Parfait pour une utilisation autour des piscines et dans le jardin, L'aluminium est durable et sans rouille.

Les systèmes BTS Fence sont simples à installer.

La clôture en Aluminium est livrée en profilés de panneau de 6 mètres de longueur qui peuvent être coupés aux longueurs souhaitées. Les poteaux peuvent être installés sur le sol et les murs de parapet avec une base qui est compatible pour fixer sur une structure en béton, en céramique ou en acier.

- Poteau en aluminium de 40 x 40 mm (poteau carré de garde-corps BTS)
- Les vis ne sont pas visibles
- Les couleurs RAL standard sont disponibles
- Lignes simples, épurées et élégantes
- Solide, léger et sans rouille
- Assemblage facile à faire soi-même





ALUMINIUM GARDEN FENCE

F40 CLASSIC



BTS' residential aluminum fence system F40 Classic has many advantages when you compare it with classic iron made fences. BTS fence systems are powder coated, maintenance-free, and has easy installation methods. It does not need to be welded. Fix the square aluminium post to the ground and install the vertical profiles with spears on it to the horizontal profiles. All screws are hidden. Increase your property security without sacrificing style with a BTS residential aluminum fence.

BTS F40 Classic feature elegant picket points, which will increase security and add a degree of timeless elegance to any property. We regard an aluminum fence not only as an enclosure. Our aluminum fence components will make an aluminum fence a real highlight on your property.

- 40x40 mm Aluminium post (BTS Railing Square Post)
- Standard RAL colors are available
- Screws are not visible
- Strong, light and rust free
- Easy do-it-yourself assembly



Le système de clôture résidentielle en aluminium de BTS F40 Classic présente de nombreux avantages lorsque vous le comparez aux clôtures classiques en fer. Les systèmes de clôture BTS sont enduits de poudre, sans entretien et ont des méthodes d'installation faciles. Il n'a pas besoin d'être soudé. Fixez le poteau carré en aluminium au sol et installez les profilés verticaux avec des lances sur les profilés horizontaux. Toutes les vis sont cachées. Augmentez la sécurité de votre propriété sans sacrifier le style avec une clôture résidentielle en aluminium BTS.

Les BTS F40 Classic disposent d'élégants piquets de grève, qui augmenteront la sécurité et ajouteront un degré d'élégance intemporelle à toute propriété.

Nous considérons une clôture en aluminium non seulement comme une enceinte. Nos composants de clôture en aluminium feront d'une clôture en aluminium un véritable point fort de votre propriété.

- Poteau en aluminium de 40 x 40 mm (poteau carré de garde-corps BTS)
- Les couleurs RAL standard sont disponibles
- Les vis ne sont pas visibles
- Solide, léger et sans rouille
- Assemblage facile à faire soi-même

Standard RAL Colors

- Black (RAL 9005)
- Anthracite Grey (RAL 7016)
- White (RAL 9016)
- Cream White (RAL 9001)
- Signal Grey (RAL 7004)

Couleurs RAL standard

- Noir (RAL 9005)
- Gris anthracite (RAL 7016)
- Blanc (RAL 9016)
- Blanc crème (RAL 9001)
- Gris de sécurité (RAL 7004)





ALUMINIUM GARDEN FENCE

F60



BTS Aluminium garden fences are practical and popular choice for many projects because of its low maintenance and durability. We offer a range of models which have different types of aluminium profiles according to your choice and architectural of your projects. Aluminium panel profiles and aluminium posts are made from 6063 T5 aluminium. All of our Aluminium Garden fencing products are available in a wide range of RAL Powder Coating colours. Due to the nature of modern house design, BTS offers newest and modern fence systems with solutions to create unique designs.

- 60x60mm Aluminium post
- Screws are not visible
- Standard RAL colours are available
- Simple, clean and stylish lines
- Strong, light and rust-free
- Easy do-it-yourself assembly



Les clôtures de jardin en aluminium BTS sont un choix pratique et populaire pour de nombreux projets en raison de leur faible entretien et de leur durabilité.

Nous vous proposons une gamme de modèles qui ont différents types de profilés en aluminium selon votre choix et l'architecture de vos projets.

Les profilés en aluminium et les poteaux en aluminium sont fabriqués à partir d'aluminium 6063 T5.

Tous nos produits de clôtures de jardin en aluminium sont disponibles dans une large gamme de couleurs de revêtement en poudre RAL.

En raison de la nature de la conception de maisons modernes, BTS propose des systèmes de clôture les plus récents et modernes avec des solutions pour créer des conceptions uniques

- Poteau en aluminium 60x60 mm
- Les vis ne sont pas visibles
- Les couleurs RAL standard sont disponibles
- Lignes simples, épurées et élégantes
- Solide, léger et sans rouille
- Assemblage facile à faire soi-même



Standard RAL Colors

- Black (RAL 9005)
- Anthracite Grey (RAL 7016)
- White (RAL 9016)
- Cream White (RAL 9001)
- Signal Grey (RAL 7004)

Couleurs RAL standard

- Noir (RAL 9005)
- Gris anthracite (RAL 7016)
- Blanc (RAL 9016)
- Blanc crème (RAL 9001)
- Gris de sécurité (RAL 7004)





ALUMINIUM GARDEN FENCE

F60 LOUVER



BTS Aluminium garden fence systems add great value to properties. Aluminium fencing enhances landscaping and adds security to a garden, pool, or building, while not hiding views. It provides your property with perfect barriers for complete or partial backyards to keep pets and children safe. Add elegance, security, and value to your home with residential aluminium fencing!

Compared to wrought iron fencing, aluminium fencing is virtually maintenance free. Traditional wrought iron fencing will rust, peel, and flake over time as opposed to aluminium which will not. The best thing about aluminium fencing is that it is also impervious to termites, unlike wood, and offers high visibility. F60 Aluminium fence model has louver panels which hides the views from outside. Aluminium adapter profile helps to fix the louver panels to post profile with hiding the screws.

- 60x60mm Aluminium post
- Simple, clean and stylish lines
- Easy do-it-yourself assembly
- Screws are not visible
- Strong, light and rust-free
- Standard RAL colours are available



Les systèmes de clôture de jardin en aluminium BTS ajoutent une grande valeur aux propriétés. Les clôtures en aluminium améliorent l'aménagement paysager et ajoutent de la sécurité à un jardin, une piscine ou un bâtiment, sans masquer la vue.

Il fournit à votre propriété des barrières parfaites pour les cours arrière complètes ou partielles afin de protéger les animaux de compagnie et les enfants. Ajoutez de l'élégance, de la sécurité et de la valeur à votre maison avec des clôtures résidentielles en aluminium!

Par rapport aux clôtures en fer forgé, les clôtures en aluminium ne nécessitent pratiquement aucun entretien.

Les clôtures en fer forgé traditionnelles rouilleront, pèlent et s'écailleront avec le temps, contrairement à l'aluminium qui ne le fera pas. La meilleure chose à propos des clôtures en aluminium est qu'elles sont également imperméables aux termites, contrairement au bois, et offrent une grande visibilité. Le modèle de clôture en aluminium F60 a des panneaux de persiennes qui cachent les vues de l'extérieur. Le profil d'adaptateur en aluminium aide à fixer les panneaux de persiennes au profil de poteau en cachant les vis.

- Poteau en aluminium 60x60 mm
- Lignes simples, épurées et élégantes
- Assemblage facile à faire soi-même
- Les vis ne sont pas visibles
- Solide, léger et sans rouille
- Couleurs RAL standard

Standard RAL Colors

- Black (RAL 9005)
- Anthracite Grey (RAL 7016)
- White (RAL 9016)
- Cream White (RAL 9001)
- Signal Grey (RAL 7004)

Couleurs RAL standard

- Noir (RAL 9005)
- Gris anthracite (RAL 7016)
- Blanc (RAL 9016)
- Blanc crème (RAL 9001)
- Gris de sécurité (RAL 7004)





ALUMINIUM GARDEN FENCE

F60V



Aluminium fencing has long been a popular choice for homes, thanks to its durability and strength – as well as it's an attractive finish that complements almost all properties. BTS F60V has a vertical design with the choices of cambered and flat rectangular lamella profile. The system has a 60x60 mm square post which can be fixed with a base connector to the slab. A horizontal transom profile will help you to fix lamella aluminium profiles with hiding the screws.

One of the great things about aluminium fencing is it's an incredible versatile product that can be used in many applications around your home-including front, pool, garden, security, and commercial fencing. It is available in standard RAL colors like 9005-9016-9001-7016 -7004 and a variety of colors to ensure that you get the perfect match for your property, allowing your fence to constantly looks its best.

- 60x60 mm Aluminium post
- Screws are not visible
- Simple, clean, and stylish lines
- Strong, light, and rust-free
- Easy do-it-yourself assembly



Les clôtures en aluminium sont depuis longtemps un choix populaire pour les maisons, grâce à sa durabilité et sa résistance, ainsi qu'à une finition attrayante qui complète presque toutes les propriétés. BTS F60V a une conception verticale avec les choix de profil de lamelle rectangulaire bombé et plat. Le système a un poteau carré de 60x60 mm qui peut être fixé avec un connecteur de base à la dalle.

Un profilé de traverse horizontale vous aidera à fixer les profilés en aluminium à lamelles en cachant les vis. L'un des avantages des clôtures en aluminium est qu'il s'agit d'un produit polyvalent incroyable qui peut être utilisé dans de nombreuses applications autour de votre maison-y compris les clôtures avant, de piscine, de jardin, de sécurité et commerciale. Il est disponible dans les couleurs RAL standard comme 9005-9016-9001-7016-7004 et dans une variété de couleurs pour vous assurer que vous obtenez le match parfait pour votre propriété, permettant à votre clôture d'être constamment à son meilleur.

- Poteau en aluminium 60x60 mm
- Les vis ne sont pas visibles
- Lignes simples, épurées et élégantes
- Solide, léger et sans rouille
- Assemblage facile à faire soi-même



Standard RAL Colors

- Black (RAL 9005)
- Anthracite Grey (RAL 7016)
- White (RAL 9016)
- Cream White (RAL 9001)
- Signal Grey (RAL 7004)

Couleurs RAL standard

- Noir (RAL 9005)
- Gris anthracite (RAL 7016)
- Blanc (RAL 9016)
- Blanc crème (RAL 9001)
- Gris de sécurité (RAL 7004)





ALUMINIUM GARDEN FENCE

F76



Aluminum fences have a sleek appearance, are solid, lightweight and easy to install. They are ideal for creating visually attractive gardens. BTS fence models will add value to your properties with large selection.

In short, the aluminum fences can be assembled entirely according to your wishes. Aluminum fences are a modern and sustainable solution for property boundaries.

F76 model has aluminium post in 76x76 mm (3") with strong design. It's connected to the slab with base connector which has sturdy design. You have possibility to use 8 mm glass between panel profiles. Due to it's sturdy design, you can install these posts up to 200 cm height from the ground.

- 76x76mm (3") Aluminium post
- Glass combination is available
- Screws are not visible
- Simple, clean and stylish lines
- Strong, light and rust free
- Easy do-it-yourself assembly



Les clôtures en aluminium ont une apparence élégante, sont solides, légères et faciles à installer. Ils sont idéaux pour créer des jardins visuellement attrayants. Les modèles de clôture BTS ajouteront de la valeur à vos propriétés avec un grand choix.

En bref, les clôtures en aluminium peuvent être assemblées entièrement selon vos souhaits. Les clôtures en aluminium sont une solution moderne et durable pour les limites de propriété.

Le modèle F76 a un poteau en aluminium de 76x76 mm (3") avec un design solide. Il est connecté à la dalle avec un connecteur de base au design robuste. Vous avez la possibilité d'utiliser du verre de 8 mm entre les profils de panneaux, En raison de sa conception robuste, vous pouvez installer ces poteaux jusqu'à 200 cm de hauteur du sol.

- Poteau en aluminium de 76 x 76 mm (3 po)
- Une combinaison de verre est disponible
- Les vis ne sont pas visibles
- Lignes simples, épurées et élégantes
- Solide, léger et sans rouille
- Assemblage facile à faire soi-même




Standard RAL Colors

- Black (RAL 9005)
- Anthracite Grey (RAL 7016)
- White (RAL 9016)
- Cream White (RAL 9001)
- Signal Grey (RAL 7004)

Couleurs RAL standard

- Noir (RAL 9005)
- Gris anthracite (RAL 7016)
- Blanc (RAL 9016)
- Blanc crème (RAL 9001)
- Gris de sécurité (RAL 7004)





ALUMINIUM GARDEN FENCE

F100



Enjoy the utmost privacy in your garden thanks to the aluminium fences produced by BTS. Aluminium privacy fences have become very popular, above all due to their high-quality design for single and multi-family dwellings and other buildings. BTS aluminium fencing enhances landscaping and adds security to a garden, pool, or building, while not hiding views. This innovative system represents a durable and stable fence model which has 100x100mm post and louver shelves. The result is an exclusive garden fence for the modern garden. The system contains angled louver aluminum profiles which cancels the view from outside. Installation is simple and precise. After connecting the post profile to the base connector, just fix the base connector on the ground directly with using appropriate screws or anchors. The panel width can vary up to 200 cm and it is even possible to reach a height of 220 cm. BTS F100 is the perfect solution if you want more privacy.

- 100x100 mm Aluminium post
- Angled louver profiles.
- Screws are not visible.
- Simple, clean and stylish lines.
- Strong, light and rust free.
- Easy do-it-yourself assembly



Profitez de la plus grande intimité dans votre jardin grâce aux clôtures en aluminium produites par BTS. Les clôtures d'intimité en aluminium sont devenues très populaires, surtout en raison de leur conception de haute qualité pour les habitations unifamiliales et multifamiliales et autres bâtiments. Les clôtures en aluminium BTS améliorent l'aménagement paysager et renforcent la sécurité d'un jardin, d'une piscine ou d'un bâtiment, sans masquer les vues. Ce système innovant représente un modèle de clôture durable et stable doté d'un poteau de 100x100 mm et d'étagères à persiennes. Le résultat est une clôture de jardin exclusive pour le jardin moderne. Le système contient des profilés en aluminium à persiennes inclinées qui annulent la vue de l'extérieur. L'installation est simple et précise. Après avoir connecté le profilé de poteau au connecteur de base, fixez simplement le connecteur de base au sol directement à l'aide de vis ou d'ancrages appropriés. La largeur du panneau peut varier jusqu'à 200 cm et il est même possible d'atteindre une hauteur de 220 cm. BTS F100 est la solution parfaite si vous voulez plus d'intimité.


- Poteau en aluminium 100x100 mm.
- Profils de persiennes inclinés
- Les vis ne sont pas visibles
- Lignes simples, épurées et élégantes
- Solide, léger et sans rouille
- Assemblage facile à faire soi-même

Standard RAL Colors

- Black (RAL 9005)
- Anthracite Grey (RAL 7016)
- White (RAL 9016)
- Cream White (RAL 9001)
- Signal Grey (RAL 7004)

Couleurs RAL standard

- Noir (RAL 9005)
- Gris anthracite (RAL 7016)
- Blanc (RAL 9016)
- Blanc crème (RAL 9001)
- Gris de sécurité (RAL 7004)





BTS Aluminium



**ALUMINIUM
GARDEN FENCE**

F40
TECHNICAL DETAILS


PR-4228

Detail A

BTS-YSB4216
4.2x16
Self Tapping Screw




- The horizontal profile can be combined with 8 mm glass.




- Le profil horizontal peut être combiné avec du verre de 8 mm.


PROFILES / PROFILES




PR-8337
1.144 kg/m




PR-5683
0.090 kg/m




PR-4228
0.123 kg/m




PR-4227
0.773 kg/m



PR-7327
0.923 kg/m



PR-7653
0.995 kg/m



AK-5134
Top Cap

AK-4227TA
Top Cap

PR-7327
107x17 Lamel Profile

PR-4227
Adapter Profile


PR-8337
40x40 Square Post

AK-5234
Base Connector


ACCESSORIES / ACCESSOIRES



AK-5234



AK-5134



AK-4227TA



BTS-VT75100
7.5x100 Galvanized Torx



BTS-YSB4216
4.2x16 Self Tapping Screw








BTS Aluminium



**ALUMINIUM
GARDEN FENCE**




**F40
CLASSIC
TECHNICAL DETAILS**




• System is proper to be connected from wall to wall.

• Le système est approprié pour être connecté d'un mur à l'autre.

PROFILES / PROFILS



ACCESSORIES / ACCESSOIRES







BTS Aluminium





ALUMINIUM
GARDEN FENCE

F60

TECHNICAL DETAILS




- Fence with patterned horizontal profile and flat surface profile.



- Clôture avec profil horizontal à motifs et profil de surface plane.

PROFILES / PROFILES



ACCESSORIES / ACCESSOIRES





BTS Aluminium




**ALUMINIUM
GARDEN FENCE**

F60 LOUVER



TECHNICAL DETAILS

Fixing Detail from Adapter Profile to Post Profile




BTS-YSB4216
4.2x16
Self Tapping Screw

Detail A




Fixing Detail from Adapter Profile to LOUVER Profiles



4.2x16
Self Tapping Screw


Detail B

- Fence with angled louver profiles.




- Clôture avec profils de persiennes inclinés.


PROFILES / PROFILES



ACCESSORIES / ACCESSOIRES



AK-5403



AK-5352B



AK-5400



BTS-KSG10X100
M10x100 Threaded Rod
+ Domed Cap Nut



BTS-YSB4216
4.2x16 Self Tapping Screw



AK-5027K
Chemical Anchor



BTS Aluminium




Fixing Detail of Horizontal Connector Profile to Post Profile (PR-9449 to PR-9458)




ALUMINIUM GARDEN FENCE

F60V

TECHNICAL DETAILS




- Fence with cambered type vertical profile and flat vertical profile.




- Clôture avec profil vertical de type cambré et profil vertical plat.

PROFILES / PROFILS




ACCESSORIES / ACCESSOIRES





BTS Aluminium



ALUMINIUM GARDEN FENCE

F76


TECHNICAL DETAILS

PR-4228
Cover Profile

BTS-YSB4216
4.2x16
Self Tapping Screw

Detail A
Fixing Detail of Lamella Profiles
to Transom Profile & Transom Profile
to Post Profile

PR-4227



AK-5230
Post Cap


PR-7327

PR-9454
76x76 (3")
Post Profile


PR-7653

GLASS
4.4.2




AK-5401
Base Connector




- The horizontal profile can be combined with 8 mm glass.
- Le profil horizontal peut être combiné avec du verre de 8 mm.



- Fence with patterned profile and flat surface profile.
- Clôture avec profil à motifs et profil de surface plane.



PROFILES / PROFILES



ACCESSORIES / ACCESSOIRES



AK-5027K
Chemical Anchor

btsaluminium.com




BTS Aluminium



ALUMINIUM GARDEN FENCE


F100

TECHNICAL DETAILS



BTS-YSB4216
4.2x23
Self Tapping Screw


Detail A
Fixing of Adapter Profile
to Post Profile



AK-5405
Alu Cap

PR-9463
Angled Lamella Profiles


AK-5404
Plastic Cap



PR-9464
Adapter Profile




PR-9465
100x100 Post

AK-5402
Base Bracket Foot




Detail B
Fixing of
Lamella Profile
to Adapter Profile

- Fence with angled louver profiles.



- Clôture avec profils de persiennes inclinés.

PROFILES / PROFILS




PR-9465
3.045 kg/m

PR-9464
1.067 kg/m

PR-9463
1.585 kg/m

ACCESSORIES / ACCESSOIRES



AK-5402

AK-5404

AK-5405

BTS-KSG10X100
M10x100 Threaded Rod
+ Domed Cap Nut

BTS-YSB4216
4.2x16 Self Tapping Screw


AK-5027K
Chemical Anchor
ETA Certified



BTS Aluminium




wind Stop 2 railing systems



BTS Height Adjustable Windscreen System

The standards stay the same,
but innovation never ends...



BTS ALUMINIUM



BTS ALUMINIUM



■ **Head Office & Factory**

Mermerciler Sanayi Sitesi 7. Cd. No: 6
Yakuplu / Beylikdüzü / İstanbul / Türkiye

T : +90 212 875 17 14 - 876 50 88 - 876 50 89
F : +90 212 876 08 95

■ **Branch Office & Retail Sale**

Hürriyet Mh. Dr. Cemil Bengü Cd. Yurt Sk.
No:12 Çağlayan / İstanbul / Türkiye

T : +90 212 247 16 66 - 248 19 81 - 219 35 70
F : +90 212 219 28 39

■ **Anodization & Powder Coating Plant**

Ramazanoğlu Mh. Metro Sk. No:8
Pendik / İstanbul / Türkiye

T : +90 212 247 16 66 - 248 19 81 - 219 35 70
F : +90 212 219 28 39

info@btsaluminium.com
www.btsaluminium.com